

Date

Name



Client

Project Name

Quote#

Type/Quantity

Specification Sheet

BOTANIC 24 WW**317 12 22**[Weblink](#)

Beschikbare kleuren: ALU GRIJS (317 12 22 A)
GRIJS BRUIN (317 12 22 G)

INCL.2 x PC SBL
INCL.2 x LEDSTRIP WHITE 3000K / 1,25W
INCL.LED POWER SUPPLY 24V-DC

LED Technics: Lichtbron: 176 lm // 2 W // 71 lm/W
Luminaire: 62 lm // 2 W // 27 lm/W

220-240V / 50-60Hz

Klasse: II

Gewicht: 1.9 KG

Protection level: IP55

Minimumafstand: n.v.t.

Opties: PIN 14
CBOX
IP68 CONNECTION KIT
IP68 CONNECTOR 3P




Voor gedetailleerde installatie-instructies, raadpleeg de handleiding, [317 12 22 HAND.pdf](#)

BOTANIC 24 WW

317 12 22


Related references

WATERDICHTE DOORVERBINDINGEN

<p>Weblink / Specificatieblad</p>  <p>CBOX 216 12 00</p>	<p>Weblink / Specificatieblad</p>  <p>IP68 CONNECTION KIT 216 12 01</p>	<p>Weblink / Specificatieblad</p>  <p>IP68 CONNECTOR 3P 216 12 02</p>
---	--	---

Related references

MONTAGEMATERIAAL VOOR BUITENPAALTJES

<p>Weblink / Specificatieblad</p>  <p>PIN 14 229 01 14</p>

BOTANIC 24 WW
317 12 22

Gerelateerde project foto van product familie:

